11 / COLLECTION

Colour.
Material.
Possibility.

The KRX Melbourne 2026 colour and material library. Explore finishes and upholstery for your project.

2026 COLOUR SWATCHES

Finish your selection with confidence.



A PALETTE FOR YOUR PROJECT

Find your finish.

Bring texture, tone and function together with the KRX Melbourne 2026 colour and material range.

Explore acoustic PET, powder-coated metal, MFC, timber finishes, super matt surfaces, sintered stone, polypropylene and upholstery.

Confirm the selected finish and its reference code with KRX Melbourne when requesting a quotation.

Printed and on-screen colours are indicative. Review physical samples for final approval. Finish availability varies by product and configuration.



MATERIAL LIBRARY

The finishing touch.

Acoustic PET 370-371

Powder-coated metal 372-374

MFC 375

Solid wood paint 376

Super matt finishes 377

Sintered stone 378

Polypropylene 379

Textiles & upholstery 380-386

Vinyl 387

Apollo Silicon 388

Oaks Leather 389

Beta Silicon 390

Quote the material reference shown beside each swatch when confirming your selections.

ACOUSTIC PET

1-01

Material | 100%PET Size | 1220*2440*12mm Density | 2400g/m Non-Flame Retardant


Sound Absorption Test Method | AS ISO 354: 2003

Application | Screen, Wall decorations, Partition










ACOUSTIC PET 1-02

Material | 100%PET **Size** | 1220*2440*12mm **Density** | 2400g/m **Flame Retardant**

Sound Absorption Test Method | AS ISO 354: 2003


Application | Screen, Wall decorations, Partition



















POWDER COATED 2-01

The Thickness of The Coating | 65um-110um Bursting Strength | 1397N Sand Hardness | 1-4-3.0H The Impact Resistance | 40-50 kg.cm

Application | Workstation, iWorkpod and part of storage


STOCK-WK-03 | SATIN


STOCK-WK-001 | SATIN

STOCK-WK-009 | SATIN


STOCK-WK-004 | SANDY

STOCK-WK-011 | SATIN


COM-AT-016 | SATIN


STOCK-WK-006 | SATIN

STOCK-WK-010 | SATIN


COM-AT-013 | SATIN


STOCK-WK-007 | SATIN

STOCK-WK-012 | SANDY


COM-AT-014 | SATIN


STOCK-WK-008 | SATIN





Available for: Toro / Vipo / Moria / Vita / JMN / Primo / Boto / Vida / Derk

POWDER COATED 2-02

The Thickness of The Coating | 65um-110um Bursting Strength | 1397N Sand Hardness | 1.4-3.0H The Impact Resistance | 40-50 kg.cm

Application | Workstation, iWorkpod and part of storage



Available for: Leed / Diamond / Nano / X1 / X3 / Boss / Beta / Zest / Vida / Boto / Derk






POWDER COATED 2-03

The Thickness of The Coating | 65um-110um Bursting Strength | 1397N Sand Hardness | 1.4-3.0H The Impact Resistance | 40-50 kg.cm

Application | Pedestal, Cabinet, Storage






MFC
3-01
E0 STANDARD PARTICAL BOARD


POLAR WHITE
WK-LM-301 | GRADE 1
OYSTER GREY
WK-LM-302 | GRADE 1
GRIGIO GREY
WK-LM-304 | GRADE 1
CHARCOAL
WK-LM-305 | GRADE 1
NORDIC MAPLE
WK-LM-306 | GRADE 2
SILKY OAK
WK-LM-308 | GRADE 2
SEASONS OAK
WK-LM-310 | GRADE 2
YELLOW OAK
WK-LM-312 | GRADE 2
LIGHT WALNUT
WK-LM-313 | GRADE 2
DARK CHERRY
WK-LM-314 | GRADE 3
AMBER TEAK
WK-LM-315 | GRADE 3
DICKSON WALNUT
WK-LM-316 | GRADE 3
BLACK WALNUT
WK-LM-317 | GRADE 3
STARRY EBONY
WK-LM-318 | GRADE 3
OLIVE WALNUT
WK-LM-319 | GRADE 3
OLYMPIA RED
WK-LM-320 | GRADE 3
MOCCA GREY
WK-LM-321 | GRADE 3
AMARI WALNUT
WK-LM-323 | GRADE 3

SOLID WOOD PAINT 4-01

MDF WITH TIMBER VENEE





SUPER MATT

5-01

Composition | Colored acrylic resin and nanoparticles **Density** | 0.90 g/cm³ **Tensile Strength** | 50 MPa **Temperature Resistance** | from -20°C to +80°C

Application | Table Top









SINTERED STONE 6-01

H ghly Durable, Non-Poreus, And Ultra-Compact Surface. Thinkness | 12mm

Application | Table Top





POLYPROPYLENE 7-01

Composition | 100% Polypropylene **Density** | 0.90 g/cm³ **Tensile Strength** | 50 MPa **Temperature Resistance** | from -20°C to +80°C

Application | Seating






KRX Melbourne is committed to driving innovative solutions for environmental sustainability.

Our ME WE (Materials, Energy, Waste, Emissions) principles offer a straightforward framework to assess our operations' environmental impact.

Using recycled plastic and waste, we show commitment to environmental responsibility. This is a milestone for KRX Melbourne's's sustainable manufacturing.







STAGE GRADE A

Composition | 100% Polyester Abrasion | ≥60,000s

Application | Deskscreen



HYBRID GRADE B

Composition | 100% Polyester Abrasion | ≥40,000s


Application | Seating, Screen, Vertical Panel Surface



SUDDEN GRADE B

Composition | 100% Polyester Abrasion | ≥70,000s

Application | Seating, Screen, Vertical Panel Surface



STOCK-083

STOCK-158

STOCK-001 STOCK-010 STOCK-021 STOCK-027

STOCK-032 STOCK-035 STOCK-038 STOCK-043

STOCK-045 STOCK-053 STOCK-066

STOCK-080 STOCK-093 STOCK-204

COM-002 COM-062 COM-155

TANGO GRADE B

Composition | 100% Polyester Abrasion | ≥60,000s

Application | Seating, Screen, Vertical Panel Surface

SF-8811

SF-8800 SF-8803 SF-8804

SF-8805 SF-8806 SF-8807

SF-8808 SF-8809 SF-8812

SPIRIT GRADE B

Composition | 100% Polyester Abrasion | ≥80,000s

Application | Seating, Screen, Vertical Panel Surface

2000-01

2000-02 2000-03 2000-04

2000-10 2000-11 2000-13

2000-18 2000-20 2000-22 2000-24 2000-26 2000-27

COM-28 COM-30 COM-34 2000-34 2000-39

BLOOM

GRADE B

Composition | 100% Polyester Abrasion | ≥70,000s

Application | Seating, Screen, Vertical Panel Surface



LE5200-22

LE5200-01

Discover BLOOM, the revolutionary fabric that transforms ordinary furniture into extraordinary statements of art and optimism.

LE5200-02 LE5200-03 LE5200-04

LE5200-05 LE5200-06 LE5200-07

LE5200-08 LE5200-09 LE5200-10

LE5200-11 LE5200-12 LE5200-13

LE5200-14 LE5200-15 LE5200-16

LE5200-17 LE5200-18 LE5200-19

The magic of BLOOM lies in its unique construction. Born from a sustainable ethos, it ingeniously weaves premium furniture fabric scraps into a dazzling tapestry, revealing rich textures and hues.

LE5200-20 LE5200-21 LE5200-23 LE5200-24

LE5200-25 LE5200-26 LE5200-27 LE5200-28

LE5200-29 LE5200-30 LE5200-31

LE5200-32 LE5200-33 LE5200-34

LE5200-35 LE5200-36 LE5200-37

HEGNEY GRADE B

Composition | 100% Polyester Abrasion | ≥80,000s

Application | Seating, Screen, Vertical Panel Surface



LE9140B-02





Soft and sweet, just as the colour is breezy, gorgeous but not too loud.



LE9140B-06



LE9140B-07



LE9140B-10



LE9140B-12



LE9140B-13



LE9140B-14



LE9140B-16



Green is the popular color that is loved and sought after most at present, green is the color with the richest vitality, permeated with full life, can promote the taste feeling of whole collocation.



LE9140B-19



LE9140B-21



LE9140B-22



LE9140B-23



LE9140B-24





LE9140B-25



LE9140B-26

With the color of water ripples, with a jump off the light, the base is more advanced silver gray.







LE9140B-28



LE9140B-30



LE9140B-32



LE9140B-33



LE9140B-36



LE9140B-38



LE9140B-40



LE9140B-41



LE9140B-43

STARRY GRADE C

Composition | 100% Polyester Abrasion | ≥60,000s

Application | Seating, Screen, Vertical Panel Surface



INSTYLE GRADE C

Composition | 100% Polyester Abrasion | ≥60,000s

Application | Seating, Screen, Vertical Panel Surface



BOLD GRADE C

Composition | 100% Polyester Abrasion | ≥80,000s

Application | Seating, Screen, Vertical Panel Surface



ELEGANCE GRADE D

Composition | 100% Natural Wool Abrasion | ≥50,000s

Application | Seating, Screen



LE8100-01



LE8100-02



LE8100-03



LE8100-04



LE8100-05



LE8100-06



LE8100-07





HUSH GRADE D

Composition | 100% Natural Wool Abrasion | ≥50,000s

Application | Seating, Screen



YM-96



YM-101



YM-102



YM-103



YM-106



YM-107



YM-109



YM-111



YM-113



Oceanic
CERTIFIED
INDOOR AIR QUALITY
INDOOR ADVANTAGE
GOLD FURNITURE
• 100% recycled polyester fabric, 50% from the ocean
• Twenty-six ocean bottles are con sumed for every meter of Oceanic fabric
• Double color fabric, very beautiful color
• Wear resistance of more than 100,000 revolution, 10 years warranty
• Does not contain heavy metals, through oeko-Tex environmental protection certification
10
Task Seating
Soft Seating
Cigarette & match
Bleach Cleanable
Year Guarantee
Medium Hazare


OCEANIC
GRADE E
Composition : 100% Polyester
Abrasion : ≥100,000
Application : Seating, Screen, Vertical Panel Surface
00C-01
00C-03
00C-04
00C-05
00C-06
00C-07
00C-02
00C-08
00C-09
00C-10
00C-11
00C-12
00C-13

MARCO VINYL GRADE B

Composition | Polyurethane **Thick** | 1.2 mm **Back ng** | None **F re Resistance** | BS5852 / passed

Application | Seating, Health Care





APOLLO SILICON GRADE C

Composition | Polyvinyl Chloride **Thick** | 1.2 mm **Backing** | None **Fire Resistance** | BS5852 / Passed **Antibacterial Rate** | 99.9% **AZO** | ≤20PPM

Application | Seating, Health Care



BST325-001 BST325-002 BST325-008 BST325-009 BST325-013 BST325-014 BST325-019


Nano Medical Furniture Leather.

Ultra fine nano surface treatment, softer touch, added with antibacterial process treatment, to meet the use of medical care

Bst325 series is a high-function scientific and technological leather fabric speciallydeveloped for medical industry, which can be applied to medical furniture, yachts, outdoor fur-niture, etc, the requirements for functions and standards are extremely strict, safe and healthy.and quality assurance.

Select high-quality stable substrates, colored with environmentally friendly dyes, to ensure quality while giving the fabric a fashionable added value visually, Genuine leather texture design, front texture and back composite texture, highly restored feel, Long-term hydrolysis resistance, mildew-proof and antibacterial, healthy and non-toxic.





OAKS LEATHER GRADE E

Composition : Oxhide **Th ck** : 1.2 mm + 1.6 mm **Backing** : None **Tearing Force** : Th n Sk ns30N,Medium & Thick Skins40N


Appl cat on : Seating, Health Care



BETA SILICON GRADE E

Composition | Pure Silicone **Thick** | 1.2 mm **Backing** | None **Fire Resistance** | BS5852 / Passed **Antibacterial Rate** | 99.9% **AZO** | ≤20PPM **Tensile Test** | Passed 17 Tests • 95.7% Pass Rate

Application | Seating, Health Care



BST813-001 BST813-002 BST813-005 BST813-007 BST813-008 BST813-009 BST813-012 BST813-013

Medical Furniture Leather.


Medical organic silica gel
100% baby pacifier material.

Production strictly implements ISO quality management system certification.

BST813 series silicone rubber leather is made with silica gel as the raw materialcombined with ultra-fine fiber and non-woven fabric substrate, using solvent-free technologysafe and environmentally friendly, and can be used in medical furniture, sofa furniture, yachtsoutdoor, etc.

Biocompatibility ensures no harm to human tissues, and it has passed Lloyd's Register certification, BS5852 flame retardant test, and IMO flame retardant test.




KRX
MELBOURNE
Get in touch.
03 6339 2373
Sales@krxmelbourne.com
www.krxmelbourne.com