KRX Derk

PRODUCT CONFIGURATIONS & SPECIFICATIONS



KRX Derk

PRODUCT CONFIGURATIONS & SPECIFICATIONS



* 1st class 60*30 metal frame with power coated;
* E0 grade 25mm lamianted table top with power access cutout;
* Table top by white as standard;
* Underneath metal cable duct:W800*D150*H125 with pre-cut socket cutout;
* Custom colors/sizes are available for both frame & top subject to manufacturer's colorLab;
* With mid shared leg covered by steel plate to avoid messy wires(except for single);
* With metal magnetic power cabling column(for private table only);



Single workstation 750H

SIZE
W1200*D600
W1400*D600
W1400*D700
W1500*D700
W1600*D700



2 S2S workstation 750H

SIZE
W2400*D600
W2800*D600
W2800*D700
W3000*D700
W3200*D700



3 S2S workstation 750H

SIZE
W3600*D600
W4200*D600
W4200*D700
W4500*D700
W4800*D700



4 S2S workstation 750H

SIZE
W4800*D600
W5600*D600
W5600*D700
W6000*D700
W6400*D700



Single workstation 750H

SIZE
W1200*D600
W1400*D600
W1400*D700
W1500*D700
W1600*D700



2 S2S workstation 750H

SIZE	F
W2400*D600	0.22
W2800*D600	0.22
W2800*D700	0.22
W3000*D700	0.22
W3200*D700	0.22



3 S2S workstation 750H

SIZE
W3600*D600
W4200*D600
W4200*D700
W4500*D700
W4800*D700



4 S2S workstation 750H

SIZE	F
W4800*D600	0
W5600*D600	0
W5600*D700	0
W6000*D700	0
W6400*D700	0

KRX Derk

PRODUCT CONFIGURATIONS & SPECIFICATIONS



2 B2B workstation 750H

SIZE

W1200*D1200
W1400*D1200
W1400*D1400
W1500*D1400
W1600*D1400



4 B2B workstation 750H

SIZE

W2400*D1200
W2800*D1200
W2800*D1400
W3000*D1400
W3200*D1400



6 B2B workstation 750H

SIZE

W3600*D1200
W4200*D1200
W4200*D1400
W4500*D1400
W4800*D1400



8 B2B workstation 750H

SIZE

W4800*D1200
W5600*D1200
W5600*D1400
W6000*D1400
W6400*D1400



2 B2B workstation 750H

SIZE

W1200*D1200
W1400*D1200
W1400*D1400
W1500*D1400
W1600*D1400



4 B2B workstation 750H

SIZE

W2400*D1200
W2800*D1200
W2800*D1400
W3000*D1400
W3200*D1400



6 B2B workstation 750H

SIZE

W3600*D1200
W4200*D1200
W4200*D1400
W4500*D1400
W4800*D1400



8 B2B workstation 750H

SIZE

W4800*D1200
W5600*D1200
W5600*D1400
W6000*D1400
W6400*D1400



Private table 750H

SIZE

W1600*D800 (W/O return)
W1800*D900 (W/O return)
W2000*D900 (W/O return)
W1600*D800*W1000*D500
W1600*D900*W1000*D500
W2000*D900*W1000*D500



Private table 750H

SIZE *PRIC*

W2050*D900*W1800*D550 0.28
W1600*D900*W1000*D500 0.28
W2000*D900*W1000*D500 0.29



Meeting table 750H

SIZE

W1800*D900
W2400*D1200
W3000*D1200
W3600*D1200



3-Way workstation 750H

SIZE

W1200/600*D1200/600
W1400/600*D1400/600



Private table 750H

SIZE

W1600*D800 (W/O return)
W1800*D900 (W/O return)
W2000*D900 (W/O return)
W1600*D800*W1000*D500



Private table 750H

SIZE

W2050*D900*W1800*D550
W1600*D900*W1000*D500
W2000*D900*W1000*D500



Meeting table 750H

SIZE

W1800*D900
W2400*D1200
W3000*D1200
W3600*D1200



3-Way workstation 750H

SIZE

W1200/600*D1200/600
W1400/600*D1400/600

KRX Derk

PRODUCT CONFIGURATIONS & SPECIFICATIONS



* 1st class 60*30 metal frame with power coated;
* E0 grade 25mm lamianted table top with power access cutout;
* Table top by white as standard;
* Underneath metal cable duct:W800*D150*H125 with pre-cut socket cutout;
* Custom colors/sizes are available for both frame & top subject to manufacturer's colorLab;
* With mid shared leg covered by steel plate to avoid messy wires(except for single);
* With metal magnetic power cabling column(for private table only);



FWS-090-DO-A1206F 750H

SIZE

W1200*D600
W1400*D600
W1400*D700
W1500*D700
W1600*D700



FWS-090-DO-A1206G 750H

SIZE

W1200*D600
W1400*D600
W1400*D700
W1500*D700
W1600*D700



FWS-090-DO-A1212E 750H

SIZE

W1200*D1200
W1400*D1200
W1400*D1400
W1500*D1400
W1600*D1400



FWS-090-DO-A1212F 750

SIZE

W1200*D1200
W1400*D1200
W1400*D1400
W1500*D1400
W1600*D1400



FWS-090-DO-A1206B 750H

SIZE

W1200*D600
W1400*D600
W1400*D700



FWS-090-DO-A1212B 750H

SIZE

W1200*D1200
W1400*D1200
W1400*D1400



FWS-090-DO-A2412A 750H

SIZE

W2400*D1200
W2800*D1200
W2800*D1400
W3000*D1400



FWS-090-DO-A3612A 75

SIZE

W3600*D1200
W4200*D1200
W4200*D1400
W4500*D1400