KRX Primo

PRIMO

Features

1st class Half arc metal frame with power coated;

E0 grade 25mm lamianted table top with power access cutout;

Table top by white as standard;

Underneath metal cable duct: W: 800 * D: 150 * H: 125 with pre-cut socket cutout;

Custom colors / sizes are available for both frame & top subject to manufacturer's colorLab;



Desks | H750MM
W: 1200 / 1400 / 1600 / 1800 * D: 600 / 700 / 800 / 900



L-Shape | H750MM
W: 1600 / 1800 / 2000 * D: 800 / 900



Private Table | H750MM
W: 2050 / 2250 / 2450 * D: 900



Workstation S2S 1 Seats | H750MM
W: 1200 / 1400 * D: 600 / 700



Workstation S2S 2 Seats | H750MM
W: 2400 / 2800 / 3000 / 3200 * D: 600 / 700



Workstation S2S 3 Seats | H750MM
W: 3600 / 4200 / 4500 / 4800 * D: 600 / 700



Workstation B2B 2 Seats | H750MM
W: 2400 / 2800 * D: 1200 / 1400



Workstation B2B 4 Seats | H750MM
W: 2400 / 2800 / 3000 / 3200 * D: 1200 / 1400



Workstation B2B 6 Seats | H750MM
W: 3600 / 4200 / 4500 / 4800 * D: 1200 / 1400



Collaboration-Circular 3 Legs | H425 / 750 / 1050MM
Ø: 500 / 1000



Collaboration-Rectangle 4 Legs | H425 / 750 / 1050MM
W: 500 / 1800 * D: 500 / 900



Collaboration-Circular 3 Legs | H750 / 1050MM
Ø: 1000



Collaboration-Peninsula 4 Legs | H750 / 1050MM
W: 1800 * D: 900



Collaboration-High-low Table Rectangle | H750 / 900MM
W: 1400 * D: 600 (H Table) W: 1800 * D: 900 (L Table)





Collaboration-Bar Table | H1050MM
W: 1600 * D: 500

KRX Primo









KRX Primo

PRODUCT CONFIGURATIONS & SPECIFICATIONS



KRX Primo

PRODUCT CONFIGURATIONS & SPECIFICATIONS

* 1st class 40*50 Half arc metal frame with power coated;
* E0 grade 25mm lamianted table top with power access cutout;
* Table top by white as standard;
* With mid shared leg covered by steel plate to avoid messy wires(except for single);
* Underneath metal cable duct:W800*D150*H125 with pre-cut socket cutout;
* Custom colors/sizes are available for both frame & top subject to manufacturer's colorLab;
* With metal magnetic power cabling column(for private table only);



KRX Primo

PRODUCT CONFIGURATIONS & SPECIFICATIONS



Single workstation 750H

SIZE

W1200*D600
W1400*D600
W1400*D700
W1500*D700
W1600*D700



2 S2S workstation 750H

SIZE

W2400*D600
W2800*D600
W2800*D700
W3000*D700
W3200*D700



3 S2S workstation 750H

SIZE

W3600*D600
W4200*D600
W4200*D700
W4500*D700
W4800*D700



4 S2S workstation 750H

SIZE

W4800*D600
W5600*D600
W5600*D700
W6000*D700
W6400*D700



2 B2B workstation 750H

SIZE

W1200*D1200
W1400*D1200
W1400*D1400
W1500*D1400
W1600*D1400



4 B2B workstation 750H

SIZE

W2400*D1200
W2800*D1200
W2800*D1400
W3000*D1400
W3200*D1400



6 B2B workstation 750H

SIZE

W3600*D1200
W4200*D1200
W4200*D1400
W4500*D1400
W4800*D1400



8 B2B workstation 750H

SIZE

W4800*D1200
W5600*D1200
W5600*D1400
W6000*D1400
W6400*D1400



Private table 750H

SIZE

W1600*D800
W1800*D900
W2000*D900



Private table 750H

SIZE

W1600*D800*W1000*D500
W1800*D900*W1000*D500
W2000*D900*W1000*D500



Private table 750H

SIZE

W2050*D900*W1800*D550
W2250*D900*W1800*D550
W2450*D900*W1800*D550



3-Way workstation 750H

SIZE

W1200/600*D1200/600
W1400/600*D1400/600



Meeting table 750H

SIZE

W1800*D900
W2400*D1200



Meeting table 750H

SIZE

W3000*D1200
W3600*D1200



Bar table 1050H

SIZE

W1800*D600
W2000*D600
W2400*D600



Bar table 1050H

SIZE

W1800*D800
W2000*D800
W2400*D800